

Quick Start Guide Xda Flint



o2.co.uk

Telefónica O2 UK Limited, 260 Bath Road, Slough, Berks, SL1 4DX.
Registered in England No.1743099. Registered office as above.
© Telefónica O2 UK Limited 2008. Correct at time of going to press (10/08).

O2CN660N 5521VCCP10/08 10/09



We're better, connected  **O₂**

Client	O2 ODM		Client Proof Stage	00		Publication	-								
Artworker	Zee		Actual Size	145 x 118mm		Bleed	3mm								
Amend Date	15.10.08		% Produced	100%											
ARTWORK			Client Amend	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	Artwork	<input type="checkbox"/>	Simp	<input type="checkbox"/>	Med	<input type="checkbox"/>	Comp	<input type="checkbox"/>

Welcome to the Xda Flint

This Quick Start Guide will help you get your Xda Flint up and running as smoothly as possible.

For a more complete guide to using your Xda Flint, please see your **Full User Manual**, which you'll find on your **Applications CD** included in this box.

The Applications CD also has some additional programs on it that you can install.

We're better, connected



Contents

Welcome to the Xda Flint

Getting to know your Xda Flint

What's in the box	1
A tour of your Xda Flint	5
Inserting your SIM card, miniSD card and battery	8
Charging the battery	9
Attaching the keyboard	10
Switching your Xda Flint on or off	10
Quick Set-up Wizard	11

Making your first call

Making a video or voice call	12
Making a call from Contacts	13
Entering information	14
Adding contacts	15

Contacting others

Sending text messages	16
Sending an MMS message	17
Bluetooth	18
Setting up Wi-Fi	20

Setting up an internet email account	21
Microsoft® Direct Push Email™	22
Browsing the internet	23

Personalising your Xda Flint

Changing Xda Flint settings	24
Photos and videos	27
Using the camera to take photos and shoot videos	27
Viewing photos and videos	27

Getting organised

Synchronising your Xda Flint with your PC	28
Synchronising your Xda Flint with a Windows Vista PC	28
Synchronising your Xda Flint with a Windows® XP PC	29
Adding and removing programs	30
Resetting your Xda Flint	31

Help and troubleshooting

Help online	32
Talk to us	32

Client	O2 ODM			Client Proof Stage	00			Publication	-		
Artworker	Zee			Actual Size	145 x 118mm			Bleed	3mm		
Amend Date	15.10.08			% Produced	100%			Artwork		Simp	
ARTWORK				Client Amend	Yes		No		Med		Comp

Getting to know your Xda Flint

What's in the box

You'll find the following items in the box:

Xda Flint handset



AC adaptor charges your Xda Flint




USB cable connects your Xda Flint to your PC



Battery



Headset



Leather carry case



Multifunctional cable connects your Xda Flint to an external display to output the screen contents



Client	O2 ODM	Client Proof Stage	00	Publication	-
Artworker	Zee	Actual Size	145 x 118mm	Bleed	3mm
Amend Date	15.10.08	% Produced	100%	Artwork	<input type="checkbox"/>
ARTWORK		Client Amend	Yes <input type="checkbox"/>	Simp	<input type="checkbox"/>
		No	<input type="checkbox"/>	Med	<input type="checkbox"/>
				Comp	<input type="checkbox"/>

What's in the box continued

Warranty card



Quick Start Guide



Full User Manual available on Applications CD



Getting Started CD



Applications CD with Windows Mobile™ software.

CD contents include:

Applications

Sprite Backup

Getting Started


With Windows Mobile™ software. Includes Microsoft® ActiveSync® 4.5, Windows Mobile Device Center for Vista and Microsoft® Outlook® 2007 (Evaluation copy)

Full User Manual

Client	O2 ODM	Client Proof Stage				00	Publication				-
Artworker	Zee	Actual Size				145 x 118mm	Bleed				3mm
Amend Date	15.10.08	% Produced				100%	Artwork				100%
ARTWORK		Client Amend	Yes	No		Artwork	Simp	Med	Comp		

A tour of your Xda Flint


Front panel



Back panel



Client	O2 ODM	Client Proof Stage	00	Publication	-
Artworker	Zee	Actual Size	145 x 118mm	Bleed	3mm
Amend Date	15.10.08	% Produced	100%	Artwork	<input type="checkbox"/>
ARTWORK	Client Amend	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
	Simp	<input type="checkbox"/>	Med	<input type="checkbox"/>	Comp
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Inserting your SIM card, miniSD card and battery

Make sure your Xda Flint is turned off before opening the battery compartment. Slide up the battery compartment cover, then flip it down to access the battery bay, SIM card slot, and miniSD™ card slot.

To insert your SIM card

Flip up the SIM card slot door (1), then insert the SIM card into the slot with its copper contacts facing up and its cut-off corner facing out. Flip down the SIM card slot door, then press it until it clicks in place.



Installing and removing a miniSD card


The miniSD card slot is located inside the battery compartment. Insert the miniSD card into the slot with the copper contacts facing up, push the miniSD card in until it clicks into place. To remove the same miniSD card, gently push the card in until it ejects out. This removes it safely.



Client	O2 ODM	Client Proof Stage	00	Publication	-
Artworker	Zee	Actual Size	145 x 118mm	Bleed	3mm
Amend Date	15.10.08	% Produced	100%	Artwork	<input type="checkbox"/>
ARTWORK	Client Amend	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
		Simp	<input type="checkbox"/>	Med	<input type="checkbox"/>
		Comp	<input type="checkbox"/>		<input type="checkbox"/>


To insert the battery

Pull up the battery lock (1), then insert the battery into the compartment with the label side facing up. When the battery latch clicks into place, press the battery lock.



To remove the battery

Lift the battery lock (1), and then push the red battery latch (2) inward. The battery will automatically eject from the compartment.



Charging the battery

Before using your Xda Flint you'll need to fully charge the battery. Connect the AC adapter plug to an electrical outlet and then connect the USB end to the DC IN/SYNC port on the left panel of your Xda Flint. The battery is fully charged after about 3 hours of charging.

Attaching the keyboard

The Xda Flint securely attaches itself to the keyboard through a magnet.



Switching your Xda Flint on or off

After inserting your SIM card and charging the battery, just press and hold the power button for a few seconds to switch on. Do the same to switch off. When switching off, a message will appear on screen. Tap **Yes** to turn off the device.

Client	O2 ODM	Client Proof Stage	00	Publication	-
Artworker	Zee	Actual Size	145 x 118mm	Bleed	3mm
Amend Date	15.10.08	% Produced	100%	Artwork	
ARTWORK		Client Amend	Yes	No	
		Simp		Med	Comp

Quick Set-up Wizard

When you switch on for the first time, a Quick Start Wizard will guide you through the calibration of the screen and the set-up of regional settings, date and time and password. Simply follow the on-screen instructions to finish the Quick Start Wizard. Your Xda Flint will install the customisation settings, then restart.





Making your first call

Making a video or voice call

Please make sure your enhanced stereo headset is connected to your Xda Flint before making a call.

To make a call from your Xda Flint:

1. Tap **Start > Phone**.
2. Enter the number on the touchscreen keypad.
3. Press the video or talk button to make your chosen type of call.

Tip: If you've entered a wrong number, tap  to erase each digit. To erase the entire number, tap and hold .

You can also enter a telephone number using the keyboard.

Client	O2 ODM	Client Proof Stage	00	Publication	-						
Artworker	Zee	Actual Size	145 x 118mm	Bleed	3mm						
Amend Date	15.10.08	% Produced	100%	Artwork		Simp		Med		Comp	
ARTWORK		Client Amend	Yes	No							


Making a call from Contacts

Tap **Contacts** on the Today screen or tap **Start > Contacts**, then either:

- Tap the contact in the contacts list, then tap the phone number you want to call, or
- Tap and hold the contact, and tap **Call Work**, **Call Home**, or **Call Mobile** on the shortcut menu.

The mobile number (m) of a contact is dialled by default when you make a call from Contacts. However, you can specify that a different phone number is dialled instead.

1. Tap **Contacts**.
2. Select the contact.
3. Press the left or right arrow key on the Xda Flint keyboard. As you press either arrow the letters representing the number will change.



Entering information

When you start a program or select a field that requires text or numbers, you can either use the QWERTY keyboard or one of the on-screen input methods.

Using the QWERTY keyboard

Your Xda Flint comes with a QWERTY keyboard, similar to a standard keyboard on a PC. The device securely attaches itself to the keyboard through a magnet.

As well as the usual typing functions, the keyboard for your Xda Flint provides shortcuts to various functions including SMS/MMS, email and the internet.

To separate the device from the keyboard, simply pull them apart.

Warning: Objects such as credit cards, diskettes, audio or video cassettes and wristwatches can be damaged if they are placed too near the Xda Flint or keyboard.

For further information please refer to the Full User Manual.

Entering information on-screen

When you start a program or select a field that requires text or numbers, the keyboard icon will appear on the menu bar.

Tap the Input Selector arrow (which appears next to the keyboard icon) to open the menu and select a text input method. After selection, the corresponding Input Panel is displayed, which you can use to enter text.



To show or hide the Input Panel, tap the keyboard icon.

Client	O2 ODM	Client Proof Stage				00	Publication				-			
Artworker	Zee	Actual Size				145 x 118mm	Bleed				3mm			
Amend Date	15.10.08	% Produced				100%								
ARTWORK		Client Amend	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	Artwork	<input type="checkbox"/>	Simp	<input type="checkbox"/>	Med	<input type="checkbox"/>	Comp	<input type="checkbox"/>

Adding contacts

To add a contact to your Xda Flint.

1. Tap **Contacts**.
2. Tap **New**, and enter the contact information.
3. To add a photo of the contact, tap **Select a picture**, then select the picture file or tap **Camera** to take a photo of the contact. This photo appears on the phone screen when you receive a call from the contact.
4. Once complete, tap **OK** to save the contact details.



Copying your SIM card contacts to your Xda Flint

1. On the Home screen, tap **Start > Programs > SIM Manager**.
2. In SIM Manager, tap **Menu > Select All**.
3. Tap **Menu > Save to Contacts**.

Contacting others

Sending a text message

To write and send a text message:

1. Tap **Contacts**.
2. Tap the contact's name.
3. Tap **Menu** and select **Send text message**.
4. A new text message is then created. To add more recipients, enter their mobile phone numbers in the To field, separating them with a semicolon. You can also tap **To** if you want to add mobile phone numbers from your saved Contacts.
5. Enter your message. To quickly add common messages, tap **Menu > My Text** and tap a desired message. To check the spelling, tap **Menu > Spell Check**.
6. Tap **Send**.

Client	O2 ODM			Client Proof Stage	00			Publication	-			
Artworker	Zee			Actual Size	145 x 118mm			Bleed	3mm			
Amend Date	15.10.08			% Produced	100%			Artwork		Simp		
ARTWORK				Client Amend	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	Med	<input type="checkbox"/>	Comp	<input type="checkbox"/>

Sending an MMS message

To compose an MMS message:

1. Tap **Start** > **Messaging** > **SMS/MMS**, then tap **Menu** > **New** > **MMS**.
2. When you see the Choose an MMS screen, tap a preset template, or tap **Custom** to open a blank MMS message.
3. Enter the recipient's phone number or email address directly, or tap **To** and choose a phone number or an email address from Contacts. Then enter a subject. To add multiple recipients tap **To** and choose a new contact.
4. Tap **Send** to send the MMS message.

Tip: Enter text, add pictures and insert audio clips by tapping the respective areas on the screen. To add more slides, tap ► or tap **Menu** > **Slides** > **Insert Slide**.



Bluetooth

To pair your Xda Flint with a Bluetooth device:

1. Tap **Start** > **Settings** > **Connections tab** > **Bluetooth**.
2. On the Devices tab, tap **Add new device**. The names of other Bluetooth devices within range will be displayed.
3. Tap the other device name in the box, then tap **Next**.
4. Your Xda Flint will first try to use the built-in PIN codes for Bluetooth pairing. If this is unsuccessful then your Xda Flint will prompt you to set up the connection manually by entering the PIN code. This PIN code can include up to 16 characters.
5. Tap **Next**.
6. Wait for the other device to accept the partnership. The owner of the other device needs to enter the same passcode as you.
7. The name of the other device is then displayed. You can edit and enter a new name for the device if you wish.
8. Select the check boxes of services that you want to use from the paired device, then tap **Finish**.

Client	O2 ODM	Client Proof Stage				00	Publication					-		
Artworker	Zee						Bleed					3mm		
Amend Date	15.10.08	Actual Size				145 x 118mm	% Produced					100%		
ARTWORK		Client Amend	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	Artwork	<input type="checkbox"/>	Simp	<input type="checkbox"/>	Med	<input type="checkbox"/>	Comp	<input type="checkbox"/>

To pair your Xda Flint with a Bluetooth headset

1. Make sure that both your Xda Flint and your Bluetooth headset are turned on, within close range and that the headset is visible.
2. Choose Add new device, select the Bluetooth headset from the list and tap **Next**. Your Xda Flint will automatically pair itself with the Bluetooth headset.

Windows Mobile will automatically try one of the pre-configured passcodes (0000, 1111, 8888, 1234) to pair your Bluetooth headset with your Xda Flint. If this fails, enter manually the passcode delivered with your headset. For more information about Bluetooth, please see Chapter 10 of your Full User Manual.

Setting up Wi-Fi

To connect to an open network:

1. Tap **Start > Settings > Connections tab > Comm Manager**, then tap **(f)**.
2. On the pop-up message, select the open network (Unsecured) you want to connect to, then tap **OK**.

To learn how to connect to a secured network, see Chapter 10 of the Full User Manual.

Client	O2 ODM			Client Proof Stage	00			Publication	-			
Artworker	Zee			Actual Size	145 x 118mm			Bleed	3mm			
Amend Date	15.10.08			% Produced	100%			Artwork		Simp		
ARTWORK				Client Amend	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	Med	<input type="checkbox"/>	Comp	<input type="checkbox"/>

Setting up an internet email account

It's really simple to set up a personal email account such as Gmail or Yahoo! On your Xda Flint.

1. Tap **Start > Messaging** and choose **Set-up Email** from the list.
2. Enter your email address and the password for your email account and select the Save password option. Tap **Next**.
3. If email provider settings are found pre-configured on your Xda Flint, the Email Setup wizard shows a successful message. Tap **Next**. If the settings are not found on your Xda Flint, select the **Try to get email settings automatically from the Internet** checkbox to find and download email server settings from the Internet and then tap **Next**.
4. Enter Your name and the Account display name, then tap **Next**.
5. In the Automatic Send/Receive list, choose how frequent you want email messages to be automatically sent and downloaded to your Xda Flint, then tap **Finish**.

For further information, refer to Chapter 7 of the Full User Manual.

To send email using your internet email account

1. Tap **Start > Messaging > Outlook Email > Menu > New**.
2. Enter the email address of the person you want to email and a subject line.
3. Type your email and then tap **Send**.



Microsoft® Direct Push Email™

You can synchronise your Xda Flint with your company's Microsoft Exchange Server to send and receive work emails and have real-time access to your inbox, calendar and contacts. Your company needs to be running Microsoft Exchange Server 2003 Service Pack 2 and have set up relevant IT security policies and permissions such as password requirements. To find out how to use Microsoft Direct Push Email with your Xda Flint, please refer to the Full User Manual on your CD or visit o2.co.uk/xda

Client	O2 ODM	Client Proof Stage				00	Publication					-		
Artworker	Zee						Bleed					3mm		
Amend Date	15.10.08	Actual Size				145 x 118mm	% Produced					100%		
ARTWORK		Client Amend	Yes		No		Artwork		Simp		Med		Comp	

Browsing the internet:

You can use your Xda Flint to go online with 3G or Wi-Fi

1. Tap **Start > Settings > Connections tab > Comm Manager** tap **(Wi-Fi)** to activate Wi-Fi.
2. Select a wireless network (open or closed) then tap **OK**.
3. Tap **Start > Programs > Opera Browser** and get online.

Your Xda Flint is now connected to the Wi-Fi network.

O2 3G network will provide high speed data access to the internet. If there is no Wi-Fi network available:

1. Tap **Start > Programs > Opera Browser** there will be a H or 3G sign on the upper taskbar indicating network connection.

Personalising your Xda Flint

Changing Xda Flint settings

You can customise your Xda Flint settings to suit you.

To change the ringtone

1. Tap **Start > Settings > Phone**.
2. On the Sounds screen, tap and select the settings and ringtones you'd like.
3. Tap **OK** to complete the settings.

To set an alarm

1. Tap **Start > Settings** and tap the **System tab**.
2. Tap **Clock & Alarms**, select a checkbox from the list of alarms and change the description.
3. Tap on the time to set it and tap the days you want the alarm to sound.
4. Tap **OK** to finish.

Client	O2 ODM	Client Proof Stage	00	Publication	-
Artworker	Zee	Actual Size	145 x 118mm	Bleed	3mm
Amend Date	15.10.08	% Produced	100%	Artwork	
ARTWORK	Client Amend	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
		Simp	<input type="checkbox"/>	Med	<input type="checkbox"/>
		Comp	<input type="checkbox"/>		<input type="checkbox"/>

To secure your Xda Flint

You can enter a password to lock your Xda Flint if it hasn't been used for a while.

1. Tap **Start > Settings** and select the **Personal tab**.
2. Tap **Lock** and select the **Prompt if device unused for** checkbox and enter the time you want.
3. Select the password type.
4. Enter and confirm your password and then tap **OK**.

To activate your SIM card PIN

Activating the SIM card PIN requires you to enter the PIN before you can use the phone features of your Xda Flint.

1. Tap **Start > Settings**.
2. Select **Phone** and tap the **Security tab**.
3. Select the **Require PIN when phone is used** checkbox.

To enable the key lock

Enabling the key lock helps prevent accidental screen taps or button presses when the Xda Flint is in your bag or pocket. To lock, tap **Device unlocked**. To unlock, tap **unlock** on the screen, then tap **unlock** again.

Client	O2 ODM	Client Proof Stage				00	Publication				-	
Artworker	Zee	Actual Size				145 x 118mm	Bleed				3mm	
Amend Date	15.10.08	% Produced				100%	Artwork					
ARTWORK		Client Amend	Yes		No		Simp		Med		Comp	

Photos and videos

Use the camera to take photos and shoot videos:

1. Tap the **Camera** button to open the camera program.
2. Scroll through the different camera options to choose still pictures or video.
3. Press the **Camera** button halfway to activate autofocus.
4. Press the **Camera** button fully to take the shot or to start recording video. Press it again to stop recording.

Tip: You can also press the **Enter** key of the keyboard to take the shot or to start or stop filming video. The photo will be saved to the My Pictures folder, unless you choose to delete it by tapping in the Review screen after taking the photo. Tap if you want to send the photo via MMS or email.

For full details on how to use the camera, please see Chapter 12 of the Full User Manual.

To view photos and videos

1. Tap **Start > Programs > Pictures & Videos**.
2. Tap an image to view it in full screen.
3. Tap **OK** to return to the selection screen.



Getting organised

Synchronising your Xda Flint with your PC

You can synchronise files and information between your Xda Flint and PC.

Depending on the Operating system of your PC, you'll need either Microsoft Windows Mobile Device Center or ActiveSync 4.5, Microsoft Windows Mobile® Device Center is the replacement for Microsoft® ActiveSync® on Windows Vista®.

To synchronise your Xda Flint with a Windows Vista PC

1. Connect your Xda Flint to your computer. Windows Mobile Device Center configures itself, then opens.

2. On the screen, click **Set up your device**.

Note: Choose **Connect without setting up your device** if you only want to transfer media files, check for updates, and explore your Xda Flint but not synchronize Outlook information.

4. Select the items you want to synchronize, then click **Next**.

5. Enter a name for your Xda Flint, then click **Set Up**.

When you finish the setup wizard, Windows Mobile Device Center will synchronize your Xda Flint automatically. You will notice that Outlook emails and other information appears on your Xda Flint after synchronization.



Client	O2 ODM		Client Proof Stage	00		Publication	-								
Artworker	Zee		Actual Size	145 x 118mm		Bleed	3mm								
Amend Date	15.10.08		% Produced	100%											
ARTWORK			Client Amend	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	Artwork	<input type="checkbox"/>	Simp	<input type="checkbox"/>	Med	<input type="checkbox"/>	Comp	<input type="checkbox"/>

To synchronise your Xda Flint with a Windows® XP PC

1. Install ActiveSync 4.5 on your computer from the Getting Started section of your Applications CD.
2. Connect your Xda Flint to your computer. The Synchronization Set-up Wizard automatically starts and guides you to create a synchronization partnership. Click **Next** to proceed.
3. To synchronize your Xda Flint with your computer, clear the **Synchronize directly with a server running Microsoft Exchange** checkbox and click **Next**.
4. Select the information types that you want to synchronize, then click **Next**. Choose whether to allow wireless connections while your Xda Flint is connected to the computer. Click **Finish**.

Set up Windows Mobile Device Center on Windows Vista®. Connect your Xda Flint to your computer. In Windows Mobile Device Center, click **Set up your device**. Select the information you want to synchronize and click **Next**. Type a name for your Xda Flint and click **Set Up**.

Adding and removing programs

Before you purchase additional programs, make sure they are compatible with your Xda Flint.

To add programs

1. Download the program to your computer (or insert the CD or disk that contains the program into your computer). You may see a single *.exe file, a *.zip file, a Setup.exe file, or several versions of files for different device types and processors. Be sure to select only the programs designed for your Xda Flint.
2. Read any installation instructions or documentation that comes with the program. Some provide special installation instructions.
3. Connect your Xda Flint to the computer.
4. Double-click the installation setup file.

To remove programs

1. Tap **Start > Settings > System tab > Remove Programs**.
2. In the Programs in Storage memory list, select the program you want to remove, then tap **Remove**.

Client	O2 ODM			Client Proof Stage	00			Publication	-			
Artworker	Zee			Actual Size	145 x 118mm			Bleed	3mm			
Amend Date	15.10.08			% Produced	100%			Artwork		Simp		
ARTWORK				Client Amend	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	Med	<input type="checkbox"/>	Comp	<input type="checkbox"/>

Resetting your Xda Flint

Soft reset:

Occasionally, you may need to reset your Xda Flint. A soft (or normal) reset of your Xda clears all active program memory and shuts down all active programs. This can be useful when your Xda Flint is running slower than normal, or a program is not performing properly. A soft reset is also necessary after the installation of some programs. If a soft reset is performed when programs are running, unsaved work will be lost.



Hard reset:

You can also do a hard reset. After a hard reset, the Xda Flint is restored to its default settings – the way it was when you first bought it and turned it on. Only Windows Mobile® software and other pre-installed programs will remain.

To learn how to perform a hard reset, see Chapter 13 of the Full User Manual.

Help and troubleshooting

Help online

For technical help with your Xda Flint, please visit our dedicated Xda website, o2.co.uk/xda

Talk to us

O2 will be able to help if you have any general questions about your Xda Flint, questions about charges on your account or activation of O2 services. You'll find contact details printed on your monthly bill. If you're a Corporate customer, we recommend you contact your internal help desk first.

Client	O2 ODM	Client Proof Stage	00	Publication	-
Artworker	Zee	Actual Size	145 x 118mm	Bleed	3mm
Amend Date	15.10.08	% Produced	100%	Artwork	
ARTWORK		Client Amend	Yes <input type="checkbox"/>	Simp	
		No <input type="checkbox"/>	Med <input type="checkbox"/>	Comp	